



Thermo Scientific Orion VERSA STAR 40 pH/ISE Benchtop Meters

Measuring pH/ISE has never looked so good or been so easy. The large color display is easy to read and easy on the eyes. Prompts make accuracy and repeatability easy for even the most complicated testing. If you need to add more channels or obtain more parameters from the same, simply remove the protective individual channel cover and add the new module.

Features and Benefits

- Versatility is the name of the game
 - Change out modules to create the meter you need at any time
 - Customize the display to show only the information you need
- Up to 6 point pH calibration with automatic recognition for USA/NIST and DIN buffers and electrode identification
- This meter features advanced ISE capabilities to work with all ISE testing applications, even the most complex
 - Up to 6 point ISE calibration with point-to-point slope
 - Non-linear selectable auto-blank and low-concentration range stability
 - Incremental techniques for known or analyte addition and subtraction
 - Adjustable isopoint for temperature-compensated ISE results
- Fix errors without a complete recalibration with the calibration editing function
- Anyone can use this meter with its plain language screen prompts, function keys that update for easy selection and a multilingual interface that supports English, Spanish, French, Italian, German and Chinese
- Don't miss a reading – AUTO-READ™ locks in the stable reading on your screen, ready indicator alerts when readings are stable and timed reading gathers data in specific time intervals or just once with single-shot mode
- Non-volatile memory holds up to 2000 data points with time and date stamp
- Stores up to 10 methods per channel allow for customized procedures to differentiate between tests and/or users
- Two USB and a RS232 port makes for easy data transfer and updating meter software
- Complimentary data analysis software for easy transferring of stored results or real-time viewing
- Increase your productivity – two Orion Star stirrer probe ports allow for simultaneous stirring and control for two separate samples at the same time
- Included electrode arm and newly-designed probe holder make it easier to maintain and place probes into samples
- Works with almost every AC power source through the included universal power adapter

- IP54-rated housing handles splashes and cleans up easily
- 3 year meter replacement warranty

Product Specifications – Orion VERSA STAR Meter

CE TUV EPA		
Maximum Number of Modules	4	
Methods	Up to 10 per channel	
Datalogging	Number of Datalogs	2000 with time and date stamp
	Log Function	Manual, AUTO-READ™, timed interval, single shot reading
Communication Ports	One RS232, one bidirectional USB, one printer-dedicated USB	
Orion Star Stirrer Probe Ports	2	
Power	Universal, AC power adapter, 90-260 VAC, 50-60 Hz	

Product Specifications – pH/ISE Module (VSTAR-ISE)

CE TUV EPA		
pH	Range	-2.000 to 20.000
	Resolution	0.1, 0.01, 0.001
	Relative Accuracy	±0.002
	Calibration Points	Up to 6
	Calibration Editing	Yes
mV/Rel mV/ ORP	Adjustable ISO Point	Yes
	Range	±2000.0 mV
	Resolution	0.1
ISE	Relative Accuracy	±0.2 mV or ±0.05 % of reading whichever is greater
	E _H ORP Mode	Yes
	Range	0 to 19990
	Resolution	Up to 4 significant digits
	Relative Accuracy	±0.2 mV or ±0.05 % of reading whichever is greater
	Units	ppm, M, mg/L, %, ppb, none
	Calibration Points	Up to 6
	Calibration Editing	Yes
	Adjustable ISO Point	Yes
	Advanced Features	Point-to-point slope, non-linear selectable auto-blank, low concentration range stability, electrode type display, temperature compensation
Incremental Techniques	Single known addition & subtraction, double known addition & subtraction, single analate addition & subtraction	
Temperature	Range	-5 to 105 °C, 23 to 221 °F
	Resolution	0.1
	Relative Accuracy	±0.1
Inputs	Offset Calibration	1 point
	pH/ISE	BNC, reference pin
	ATC	8-pin mini-DIN



Meter Ordering Information

Cat. No.	Description
VSTAR40A	Orion VERSA STAR pH/ISE Benchtop Meter Set - Orion VERSA STAR meter - Orion VERSA STAR pH/ISE/temperature module - Electrode arm with redesigned holder - Universal power adapter
VSTAR40A2	Orion VERSA STAR pH/ISE Benchtop Meter Kit - Orion VERSA STAR meter - Orion VERSA STAR pH/ISE/temperature module - 8102BNUWP Orion ROSS Ultra pH electrode - 096019 Orion Star stirrer probe - 927007MD ATC probe, stainless steel - ROSS solution kit (475 mL each of pH 4, 7 and 10 buffers; storage solution; cleaning solution; and pH electrode storage bottle) - Electrode arm with redesigned holder - Universal power adapter
VSTAR40B	Orion VERSA STAR Benchtop Meter with Two pH/ISE Modules Set - Orion VERSA STAR meter - Two Orion VERSA STAR pH/ISE/temperature modules - Electrode arm with redesigned holder - Universal power adapter
VSTAR40B2	Orion VERSA STAR Benchtop Meter with Two pH/ISE Modules Kit - Orion VERSA STAR meter - Two Orion VERSA STAR pH/ISE/temperature modules - 8102BNUWP Orion ROSS Ultra pH electrode - 096019 Orion Star stirrer probe - 927007MD ATC probe, stainless steel - ROSS solution kit (475 mL each of pH 4, 7 and 10 buffers; storage solution; cleaning solution; and pH electrode storage bottle) - Two electrode arms with redesigned holders - Universal power adapter



Accessories

Cat. No.	Description
VSTAR-PH	Orion VERSA STAR pH/temperature module
VSTAR-ISE	Orion VERSA STAR pH/ISE/temperature module
VSTAR-CND	Orion VERSA STAR conductivity/temperature module
VSTAR-RD	Orion VERSA STAR RDO/DO/temperature module
VSTAR-LR	Orion VERSA STAR pH/temperature with LogR technology module
STARA-BEA	Benchtop electrode arm for Orion Star A-series meters
STARA-HB	Freestanding base for use with Orion Star A-series benchtop electrode arm
STARA-PWR	Replacement universal power adapter for Orion VERSA STAR meters
096019	Orion Star stirrer probe
8102BNUWP	Orion ROSS Ultra pH electrode, refillable, glass body
8172BNWP	Orion ROSS Sure-Flow pH electrode, glass body
8156BNUWP	Orion ROSS Ultra refillable pH electrode, epoxy body
8157BNUMD	Orion ROSS Triode pH/ATC electrode, refillable, epoxy body
8302BNUMD	Orion ROSS Triode pH/ATC electrode, refillable, glass body
927007MD	Orion ATC probe, stainless steel body
927005MD	Orion ATC probe, epoxy body
013005MD	Orion DuraProbe conductivity cell, 4-cell, K=0.475
013016MD	Orion conductivity cell, flow through, K=0.1
083005MD	Orion dissolved oxygen probe, polarographic
086030MD	Orion auto-stir DO/BOD probe, polarographic
087010MD	Orion RDO optical DO probe, 3 m cable
810199	Orion ROSS all-in-one pH buffer kit
910104	Orion pH 4.01 buffer, 475 mL
910107	Orion pH 7.00 buffer, 475 mL
910110	Orion pH 10.01 buffer, 475 mL
011008	Orion conductivity standard, 100 µS/cm, 5 x 60 mL bottles
011007	Orion conductivity standard, 1413 µS/cm, 5 x 60 mL bottles
011006	Orion conductivity standard, 12.9 mS/cm, 5 x 60 mL bottles
1010001	Orion conductivity calibration resistor kit
9512HPBNWP	Orion high-performance ammonia ISE
9512BNWP	Orion standard ammonia ISE
951007	Ammonia standard, 1000 ppm, 475 mL
951210	Low-level ammonia ISA
951211	Ammonia ISA, 475 mL
951209	Fill solution for Orion high-performance ammonia ISE, 60 mL
951202	Fill solution for standard ammonia ISE, 60 mL
951213	Ammonia ISE storage solution
9609BNWP	Orion fluoride combination ISE
040906	Fluoride standard, 1 ppm with TISAB II, 475 mL
040907	Fluoride standard, 2 ppm with TISAB II, 475 mL
040908	Fluoride standard, 10 ppm with TISAB II, 475 mL
940909	TISAB II, 1 gallon
8611BNWP	Orion ROSS sodium combination ISE with sodium standards

- pH
- ISE
- ORP
- Cond
- RDO
- DO
- Temp

